









**CARATTERISTICHE TECNICHE  
TECHNICAL CHARACTERISTICS  
CARACTERISTIQUES TECHNIQUES  
TECHNISHE EIGENSCHAFTEN  
CARACTERISTICAS TECNICAS**

	<b>DESCRIZIONE</b>	<b>NORMA</b>	<b>VALORI EMILCERAMICA</b>
	<b>RESISTENZA ALLA FLESSIONE</b> <b>Nw/mm<sup>2</sup></b> (Bending strenght - Biegefestigkeit - Résistance à la flexion – Resistencia a la flexion)	<b>UNI EN ISO 10545/4</b>	42
	<b>CARICO DI ROTTURA</b> <b>N</b> (Breaking load – Bruchlast – Charge de rupture – Carga de rotura)	<b>UNI EN ISO 10545/4</b>	1700
	<b>ASSORBIMENTO D'ACQUA</b> (Water absorption – Wasseraufnahme– Absorption d'eau – Absorción de agua)	<b>UNI EN ISO 10545/3</b>	< 0,2%
	<b>RESISTENZA ALL'ABRASIONE</b> (Resistance to abrasion – Abriebfestigkeit – Résistance à l'abrasion – Resistencia a la abrasion)	<b>UNI EN ISO 10545/7</b>	PEI 4/5
	<b>RESISTENZA AGLI SBALZI TERMICI</b> (Thermal shock resistance – Temperaturwechsel-beständigkeit – Résistance aux écarts de température – Resistencia los saltos de temperatura)	<b>UNI EN ISO 10545/9</b>	RESISTE
	<b>RESISTENZA AL GELO</b> (Frost resistance – Frostbeständigkeit – Résistance au gel – Resistencia a las heladas)	<b>UNI EN ISO 10545/12</b>	RESISTE
	<b>RESISTENZA ALLE MACCHIE</b> <b>PULIBILITÀ</b> (Stain resistance – Fleckenbeständigkeit – Résistance aux taches – Resistencia a las manchas)	<b>UNI EN ISO 10545/14</b>	RESISTE
	<b>SCIVOLOSITÀ</b> (Slip level – Rutschfestigkeit – Coefficient de glissement – Coeficiente de atrito medio)	<b>B.C.R.A. – DIN 51130</b>	R9